




PACIFIC CLAY PRODUCTS INC.


FINE QUALITY CLAY BRICK | SINCE 1892

THIN BRICK - FACE BRICK PAVERS - BULLNOSE & WALLCAPS




THIN BRICK PRODUCTS


STANDARD COLORS




SUNSET
RED (V) (S)



CAMBRIA (V)




RED
FLASHED* (V)




BURGUNDY (V)



BROWN
FLASHED* (V)



LIGHT
IRON SPOT* (V)




MEDIUM
IRON SPOT* (V)



DARK
IRON SPOT* (V) (S)




PUEBLO
FLASHED* (V)




MAUI SANDS (V)



STERLING
GREY (V)




DESERT
GREY° (V) (S)




BODEGA
CLIFFS (V)



CHARCOAL (V) (S)



SALTILLO* (V)



MANUFACTURED
USED WHITE*† (V)



MANUFACTURED
USED B&W*† (V)




THIN BRICK PRODUCTS

AMERICANA SERIES



CONCORD* (T)



CHERRY CREEK* (T)




SARATOGA* (T)

SPECIAL BLEND (MADE TO ORDER)




DENALI MIST* (T) MOD.

PRIMERO SERIES



RED (V&S)




RED FLASHED* (V&S)



CHOCOLATE (V&S)



SAN RAFAEL* (V&S)



BOSTONIAN* (V&S)

FEATURED BLEND (MADE TO ORDER)



LUXE (V) & (S) MOD.
5/8" X 2-1/4" X 7-5/8"



SANTIAM RIVER* (T) MOD.
5/8" X 2-1/4" X 7-5/8"



POSH* (RU) NORMAN
3/4" X 2-1/4" X 11-5/8"



REED* (S) EXTENDED ROMAN
(5/8" X 1-5/8" X 15-5/8")




SPECIFICATIONS

MODULAR (INCLUDES ALL STANDARD, AMERICANA SERIES & FEATURED/SPECIAL ITEMS)

Meets ASTM C-1088, TBX, SW - Texture info (inside page)

- Available in:
- Sunset Red
 - Cambria
 - Red Flashed
 - Burgundy
 - Light Iron Spot
 - Medium Iron Spot
 - Dark Iron Spot
 - Desert Grey
 - Pueblo Flashed
 - Salttillo
 - Sterling Grey
 - Charcoal
 - Brown Flashed
 - Mfg. Used
 - Mfg. Used White Only

- Maui Sands
- Bodega Cliffs
- Americana Series
- Luxe • Santiam River • Denali Mist





Flat
 Size: 5/8" x 2-1/4" x 7-5/8"
 Weight: 45 lbs. per box
 Coverage: 8.8 sq. ft. per box (3/8" grout line)
 Packaging: 60 pcs per box, 40 boxes per pallet

Corner
 Size: 5/8" x 2-1/4" x 7-5/8", 3-5/8" Return
 Weight: 32 lbs. per box
 Coverage: 6 liner ft. per box (3/8" grout line)
 Packaging: 30 pcs per box, 40 boxes per pallet

CLOSURE

Meets ASTM C-1088, TBX, SW

- Available in:
- Sunset Red (V)
 - Red Flashed (V)
 - Salttillo (V)
 - Burgundy (V)
 - Medium Iron Spot (V)
 - Dark Iron Spot (V)
 - Brown Flashed (V)
 - Mfg. Used White Only (V)
 - Mfg. Used (V)





Flat
 Size: 5/8" x 3-5/8" x 7-5/8"
 Weight: 45 lbs. per box
 Coverage: 8.8 sq. ft. per box (3/8" grout line)
 Packaging: 40 pcs per box, 40 boxes per pallet

Corner
 Size: 5/8" x 3-5/8" x 7-5/8", 3-5/8" Return
 Weight: 35 lbs. per box
 Coverage: 6.7 liner ft. per box (3/8" grout line)
 Packaging: 20 pcs per box, 40 boxes per pallet

UTILITY

Meets ASTM C-1088, TBX, SW

- Available in:
- Red (V)
 - Red Flashed (V)
 - Charcoal (V) (S)





Flat
 Size: 5/8" x 3-5/8" x 11-5/8"
 Weight: 64 lbs. per box
 Coverage: 12 sq. ft. per box (3/8" grout line)
 Packaging: 36 pcs per box, 36 boxes per pallet

Corner
 Size: 5/8" x 3-5/8" x 11-5/8", 3-5/8" Return
 Weight: 43 lbs. per box
 Coverage: 6 liner ft. per box (3/8" grout line)
 Packaging: 18 pcs per box, 36 boxes per pallet

NORMAN

Meets ASTM C-1088, TBX, SW

- Available in:
- Sunset Red (V)
 - Red Flashed (V)
 - Sterling Grey (V) (S)
 - Dark Iron Spot (V) (S)
 - Charcoal (V) (S)
 - Desert Grey (V) (S)
 - Posh (RU) (3/4" x 2-1/4" x 11-5/8")



Flat
 Size: 5/8" x 2-1/4" x 11-5/8"
 Weight: 41 lbs. per box
 Coverage: 8 sq. ft. per box (3/8" grout line)
 Packaging: 36 pcs per box, 54 boxes per pallet



Corner
 Size: 5/8" x 2-1/4" x 11-5/8", 3-5/8" Return
 Weight: 41 lbs. per box
 Coverage: 5 liner ft. per box (3/8" grout line)
 Packaging: 27 pcs per box, 54 boxes per pallet

COMMON (PRIMERO SERIES)

Meets ASTM C-1088, TBX, SW

Special Order Only – minimum quantities required

- Available in:
- Red (V&S)
 - Red Flashed (V&S)
 - Chocolate (V&S)
 - San Rafael (V&S)
 - Bostonian (V&S)



Flat
 Size: 5/8" x 2-1/4" x 8"
 Weight: 45 lbs. per box
 Coverage: 8.8 sq. ft. per box (3/8" grout line)
 Packaging: 60 pcs per box, 40 boxes per pallet

Corner
 Size: 5/8" x 2-1/4" x 8", 3-3/4" Return
 Weight: 32 lbs. per box
 Coverage: 6 liner ft. per box (3/8" grout line)
 Packaging: 30 pcs per box, 40 boxes per pallet



Custom Colors and Sizes available (minimum order quantities apply). Call Pacific Clay for literature on our full family of products such as Bullnose, Face Brick, and Thin Brick lines. Bricks in this brochure were photographed and printed to match the original brick as closely as possible; however, production runs vary slightly in color. Color ranges occur in each production run. Pacific Clay's colors are produced from natural clays - color ranges are inherent in the product and should be sampled accordingly. Weights listed are averages; individual bricks may vary in dimension and weight while maintaining accordance with ASTM specifications. Pacific Clay Products maintains the right to revise packaging and products inventoried.



Right, In Your Own Backyard!

www.PacificClay.com

14741 LAKE STREET LAKE ELSINORE, CA 92530
 PHONE: 951.674.2131 FAX: 951.674.6383


Share your #PacificClay projects! @PacificClay






PACIFIC CLAY PRODUCTS INC.
FINE QUALITY CLAY BRICK | SINCE 1892

FACE BRICK




LBX (LONG BEACH EXCHANGE) - LONG BEACH, CA (BRICK TYPE: FACE BRICK - NORMAN - DARK IRON SPOT)


MODULAR FACE BRICK - STANDARD COLORS (CORED NOT FOR PAVING)




**SUNSET
RED** (V) (S)



**RED
FLASHED*** (V)




BURGUNDY (V)




**PUEBLO
FLASHED*** (V)



**BROWN
FLASHED*** (V)



**LIGHT
IRON SPOT*** (V)



**MEDIUM
IRON SPOT*** (V)



**DARK
IRON SPOT*** (V) (S)




CHARCOAL (V) (S)

AMERICANA SERIES - MODULAR (REROLLED TEXTURE - SOLID)



CONCORD* (T)




**CHERRY
CREEK*** (T)



SARATOGA* (T)

UTILITY FACE BRICK (CORED NOT FOR PAVING)



CHARCOAL (V)



CHARCOAL (S)

FEATURED BLEND (MADE TO ORDER - MODULAR ITEMS BELOW ARE CORED)




LUXE^o (V) & (S) MOD.
3-5/8" X 2-1/4" X 7-5/8"



SANTIAM RIVER^o (T) MOD.
3-5/8" X 2-1/4" X 7-5/8"




DENALI MIST^o (T) MOD.
3-5/8" X 2-1/4" X 7-5/8"




POSH^o (RU) NORMAN (SOLID)
3-5/8" X 2-1/4" X 11-5/8"

FACE BRICK PRODUCTS

NORMAN FACE BRICK - STANDARD COLORS (CORED NOT FOR PAVING)



SUNSET
RED (V)



RED
FLASHED* (V)



STERLING
GREY (V) (S)




DARK
IRON SPOT* (V) (S)




CHARCOAL (V) (S)

PRIMERO SERIES - MODULAR FACE BRICK (SOLID ALSO FOR PAVING)



RED (V&S)



RED
FLASHED* (V&S)



CHOCOLATE (V&S)



SAN RAFAEL* (V&S)



BOSTONIAN* (V&S)

PADRE (SOLID ALSO FOR PAVING)




12" PADRE




16" PADRE

COMMON (CORED)




RED (R)

OVERSIZE (SOLID ALSO FOR PAVING)



RED (WC/S)
(SMOOTH SIDE SHOWN)



RED (WC/S)
(WC SIDE SHOWN)

(V) VELOUR TEXTURE, (S) SMOOTH TEXTURE, (R) RAKED, (RU) RUFFLE, (T) TUMBLED, (WC/S) WIRE CUT / SMOOTH,
* WIDE COLOR VARIATION, † NOT RECOMMENDED FOR POOLS, ° MADE TO ORDER

SPECIFICATIONS


MODULAR (INCLUDES ALL STANDARD, AMERICANA SERIES)

Meets ASTM C-216, SW, MW

Available in:

- Sunset Red (V) (S)
- Red Flashed (V)
- Burgundy (V)
- Pueblo Flashed (V)
- Brown Flashed (V)
- Light Iron Spot (V)
- Medium Iron Spot (V)
- Dark Iron Spot (V) (S)
- Charcoal (V) (S)

Size: 3-5/8" x 2-1/4" x 7-5/8"
 Weight: 3.92 lbs. (Cored) per Brick
 4.5 lbs. (Solid) per Brick
 Coverage:
 Veneer 6.75 pcs. per sq. ft. (Using 3/8" grout line)
 Paving 4.5 pcs. per sq. ft. (Using 3/8" grout line)




NORMAN

Meets ASTM C-216, SW, MW

Special Order Only – minimum quantities required

- Available in:
- Sterling Grey (V) (S)
 - Sunset Red (V)
 - Red Flashed (V)
 - Dark Iron Spot (V) (S)
 - Charcoal (V) (S)

Size: 3-5/8" x 2-1/4" x 11-5/8"
 Weight: 5 lbs. (Cored) per Brick
 Coverage: 4.5 pcs. per sq. ft. (Using 3/8" grout line)




COMMON (PRIMERO SERIES)

Meets ASTM C-902 MX, NX

Special Order Only – minimum quantities required

- Available in:
- Red (R)
 - Red (V&S)
 - Red Flashed (V&S)
 - Chocolate (V&S)
 - San Rafael (V&S)
 - Bostonian (V&S)

Size: 3-3/4" x 2-1/4" x 8"
 Weight: 3.8 lbs. (Cored) per Brick
 Coverage:
 Veneer 6.2 pcs. per sq. ft.




PADRE

Meets ASTM

- Available in:
- 12 in. (Solid)
 - 16 in. (Solid)

- Special Padre Texture

Size: (12in.) 3" x 4" x 11-1/2"
 (16in.) 3" x 4" x 15-1/2"
 Weight: (12in.) 10.1 lbs. (16in.) 12. lbs. (Solid)
 Coverage: 3 pcs. per sq. ft. (using 1/2" grout line)




UTILITY

Meets ASTM C-216, SW, MW

Special Order Only – minimum quantities required

- Available in:
- Charcoal (V)
 - Charcoal (S)

Size: 3-5/8" x 3-5/8" x 11-5/8"
 Weight: 6.2 lbs. (Cored) 6.6 lbs. (Solid) per Brick
 Coverage: 3 pcs. per sq. ft. (Using 3/8" grout line)




CLOSURE

Meets ASTM C-1088, TBX, SW

Special Order Only – minimum quantities required

- Available:
- Custom Item
 - Made to Order
 - Cored
 - Solid
 - Smooth
 - Velour

Size: 3-5/8" x 3-5/8" x 7-5/8"
 Weight: 6.2 lbs. (Cored) 6.6 lbs. (Solid) per Brick
 Coverage: 4.5 pcs. per sq. ft. (Using 3/8" grout line)



FEATURED BLEND: DENALI MIST
 (REROLLED TEXTURE - SOLID)
 LBX (LONG BEACH EXCHANGE)
 LONG BEACH, CA.



Right, In Your Own Backyard!

www.PacificClay.com

14741 LAKE STREET LAKE ELSINORE, CA 92530
 PHONE: 951.674.2131 FAX: 951.674.6383

Custom Colors and Sizes available (minimum order quantities apply). Call Pacific Clay for literature on our full family of products such as Bullnose, Face Brick, and Thin Brick lines. Bricks in this brochure were photographed and printed to match the original brick as closely as possible; however, production runs vary slightly in color. Color ranges occur in each production run. Pacific Clay's colors are produced from natural clays - color ranges are inherent in the product and should be sampled accordingly. Weights listed are averages; individual bricks may vary in dimension and weight while maintaining accordance with ASTM specifications. Pacific Clay Products maintains the right to revise packaging and products inventoried.

Share your #PacificClay projects! @PacificClay






PACIFIC CLAY PRODUCTS INC.

FINE QUALITY CLAY BRICK | SINCE 1892

PAVERS



PAVER PRODUCTS

COMMON / COMMON SPLIT PAVER



RED




RED
FLASHED*




CHOCOLATE



CABRILLO



MANUFACTURED
USED WHITE^o



MANUFACTURED
USED B&W^o

MODULAR / MODULAR SPLIT PAVER

TRAVELER



SUNSET
RED




RED
FLASHED*



SALTILLO*



ROSE TAN



BURGUNDY



BROWN
FLASHED*



RED



STERLING
GREY



LIGHT
IRON SPOT



MEDIUM
IRON SPOT



DARK
IRON SPOT



PUEBLO
FLASHED*



RED
FLASHED*

MISSION / MISSION TUMBLED



RED




RED
FLASHED*



BROWN
FLASHED*



CABRILLO
TUMBLED



RED
TUMBLED



RED FLASHED
TUMBLED*



BROWN FLASHED
TUMBLED*

PRIMERO / PRIMERO SPLIT PAVER


TUMBLED 4X8 PAVER



RED




RED
FLASHED*




CHOCOLATE



BOSTONIAN*



SAN RAFAEL*



DESERT SAND*




PUEBLO FLASHED*

COMBO PAVER



SUNSET
RED



RED
FLASHED*




BURGUNDY



LIGHT
IRON SPOT




MEDIUM
IRON SPOT



DARK
IRON SPOT


NORMAN PAVER




SUNSET
RED



RED
FLASHED*




BURGUNDY



MANUFACTURED
USED WHITE†°



MANUFACTURED
USED B&W†°




RED

OVERSIZED


JUMBO PAVER (ALSO AVAILABLE IN MANUFACTURED USED)



RED



RED
FLASHED*




BROWN
FLASHED*



CABRILLO



RED



RED
FLASHED*

ALBERHILL PAVER

BEAR PATH PAVER



SUNSET
RED



RED
FLASHED*



BURGUNDY



BROWN
FLASHED*



LIGHT
IRON SPOT



MEDIUM
IRON SPOT















DARK
IRON SPOT



CHICO MEDICAL PLAZA - RED FLASHED / MEDIUM IRON SPOT

Bear Path™ is a sand set Paver. Easy to install with accurate 1/8" spacing lugs. Available in both 2-1/4" and 2-5/8" thickness (Heavy Vehicular Rated), the lugs on the sides of each paver automatically space the pavers the correct distance apart, allowing you to lay the brick in any pattern you choose. Bear Path™ Pavers have beveled paver edges providing beautiful accents and are available in seven colors. Depending on the requirements of the project, choose the installation method that best suits your needs. Bear Path meets ADA Surface Texture and Coefficient of Friction requirements, as well as ADA Standards for Accessible Design.

SPECIFICATIONS

<p>Common / Primero</p>  <p>(Common / Primero) 3-3/4 x 2-1/4 x 8" Unit Weight: 5.1 lbs. Pallet Weight: 3010 lbs. Units Per Pallet: 595 pcs. Coverage: 4.5 Units per sq. ft. (using 1/2" grout line) Meets ASTM C-902</p>	<p>Common Split / Primero Split</p>  <p>(Common Split) 3-3/4 x 1-1/4 x 8" (Primero Split) 3-3/4 x 1-1/4 x 8" Unit Weight: 2.39 lbs. Pallet Weight: 2078 lbs. Units Per Pallet: 870 pcs. Coverage: 4.5 Units per sq. ft. (using 1/2" grout line) Meets ASTM C-902</p>	<p>Modular / Modular Split</p>  <p>(Modular) 3-5/8 x 2-1/4 x 7-5/8" (Modular Split) 3-5/8 x 1-1/4 x 7-5/8" Unit Weight: 4.6 lbs. / Split 2.8 lbs. Pallet Weight: 2330 lbs. / Split 2471 lbs. Units Per Pallet: 510 pcs. / Split 870 pcs. Coverage: 4.5 Units per sq. ft. (using 1/2" grout line) Meets ASTM C-902</p>	<p>Traveler</p>  <p>5-1/2 x 1-5/8 x 11-1/2" Unit Weight: 7.5 lbs. Pallet Weight: 2205 lbs. Units Per Pallet: 294 pcs. Coverage: 2.2 Units per sq. ft. (using 1/2" grout line) Meets ASTM C-902</p>
<p>Mission / Mission Tumbled</p>  <p>4 x 2-1/4 x 8" Unit Weight: 5.21 lbs. Pallet Weight: 2655 lbs. Units Per Pallet: 510 pcs. Coverage: 4.5 Units per sq. ft. (using 1/2" grout line) Meets ASTM C-902</p>	<p>Tumbled 4X8</p>  <p>4 x 2-1/4 x 8" Unit Weight: 5.26 lbs. Pallet Weight: 2682 lbs. Units Per Pallet: 510 pcs. Coverage: 4.5 Units per sq. ft. (using 1/2" grout line) Meets ASTM C-902</p>	<p>Combo</p>  <p>3-1/2 x 2-3/16 x 7-1/2" Unit Weight: 4.6 lbs. Pallet Weight: 2330 lbs. Units Per Pallet: 510 pcs. Coverage: 4.5 Units per sq. ft. (using 1/2" grout line) Meets ASTM C-902</p>	<p>Norman</p>  <p>3-1/2 x 2-3/16 x 11-1/2" Unit Weight: 6.9 lbs. Pallet Weight: 1978 lbs. Units Per Pallet: 288 pcs. Coverage: 3 Units per sq. ft. (using 1/2" grout line) Meets ASTM C-902</p>
<p>Alberhill</p>  <p>(Common / Primero) 3-3/4 x 2-1/2 x 8" Unit Weight: 5.9 lbs. Pallet Weight: 2830 lbs. Units Per Pallet: 480 pcs. Coverage: 4.5 Units per sq. ft. (using 1/2" grout line) Meets ASTM C-902</p>	<p>Jumbo</p>  <p>3 x 3-1/2 x 11-1/2" Unit Weight: 9.3 lbs. Pallet Weight: 2100 lbs. Units Per Pallet: 225 pcs. Coverage: 3 Units per sq. ft. (using 1/2" grout line) Meets ASTM C-902</p>	<p>Oversized</p>  <p>2-7/8 x 3 x 10" Unit Weight: 6.9 lbs. Pallet Weight: 2860 lbs. Units Per Pallet: 416 pcs. Coverage: 4.8 Units per sq. ft. (using 1/2" grout line) Meets ASTM C-902</p>	<p>Bear Path 2-1/4 & 2-5/8</p>  <p>(2-1/4") 4 x 2-1/4 x 8" (ASTM C-902) (2-5/8") 4 x 2-5/8 x 8" (ASTM C-1272) Unit Weight: 5.9 lbs. / 6.6 lbs. Pallet Weight: 2993 lbs. / 2769 lbs. Units Per Pallet: 510 pcs. / 420 pcs. Coverage: 4.5 Units per sq. ft. (using 1/2" grout line)</p>



After more than 100 years of manufacturing quality clay products, Pacific Clay continues its tradition of providing innovative new products to meet the needs of our customers. The Pacific Clay line of brick pavers includes our sand set Mission and Bear Path pavers with accurate spacing lugs, as well as our Mortar set Combo, Modular, Primero and Common – hard, durable, low maintenance and long lasting.

Natural clay brick is easy to install, low in maintenance, colorfast, low in absorption, high strength, durable and freeze thaw resistant. Our pavers are so durable that Architects, Builders and Contractors feel secure in using them on sidewalks, driveways, or even city streets. As always, the benefits of our clay brick far exceed the cost of concrete. Because our pavers are so easy to install, homeowners can feel confident that they will get a finished project that is both beautiful and inexpensive.

If you are looking for the beauty and quality of brick pavers at an affordable price, with a variety of colors to choose from... think Pacific Clay, the total brick solution for all your paving needs.



Right, In Your Own Backyard!

www.PacificClay.com

14741 LAKE STREET LAKE ELSINORE, CA 92530
 PHONE: 951.674.2131 FAX: 951.674.6383

Share your #PacificClay projects! @PacificClay



Custom Colors and Sizes available (minimum order quantities apply). Call Pacific Clay for literature on our full family of products such as Bullnose, Face Brick, and Thin Brick lines. Bricks in this brochure were photographed and printed to match the original brick as closely as possible; however, production runs vary slightly in color. Color ranges occur in each production run. Pacific Clay's colors are produced from natural clays - color ranges are inherent in the product and should be sampled accordingly. Weights listed are averages; individual bricks may vary in dimension and weight while maintaining accordance with ASTM specifications. Pacific Clay Products maintains the right to revise packaging and products inventoried.



PACIFIC CLAY PRODUCTS INC.
FINE QUALITY CLAY BRICK | SINCE 1892

BULLNOSE & WALLCAPS



PRIVATE RESIDENCE - YORBA LINDA, CA (BRICK TYPE: BULLNOSE - RED FLASHED)

TRADITIONAL BULLNOSE

9" & 12" BULLNOSE

SPECS. (9") 3-1/2 x 2-3/16 x 9", PLT 384PC. | (12") 3-1/2 x 2-3/16 x 11-1/2", PLT 288PC.

SINGLE BULLNOSE



DOUBLE BULLNOSE



SPECIALTY BULLNOSE

PRO FINIISH BULLNOSE

SPECS. 3-1/2 x 2-3/16 x 11-1/2", BOX 6PC.



12" RETROFIT BULLNOSE

SPECS. 3-5/8 x 1-1/4 x 12-1/2", PLT 400PC.



12" SAFETY GRIP BULLNOSE

SPECS. 3-5/8 x 1-1/4 x 12-1/2", PLT 320PC. 1613 LBS.



9" & 12" TEXAS BULLNOSE

SPECS. (9") 7 x 2-3/16 x 9", PLT 150PC. | (12") 7 x 2-3/16 x 11-1/2", PLT 150PC.



9" & 12" VERNAZZA BULLNOSE

SPECS. (9") 14 x 2-3/16 x 9", PLT 100PC. | (12") 14 x 2-3/16 x 11-1/2", PLT 80PC.



WALLCAPS

8" & 10" CAPELLA WALLCAPS

SPECS. (8") 8 x 2 x 10-5/8", PLT 150PC. | (10") 10 x 2 x 10-5/8", PLT 120PC.



8" & 10" PLANO WALLCAPS

SPECS. (8") 8 x 2 x 10-5/8", PLT 150PC. | (10") 10 x 2 x 10-5/8", PLT 120PC.




*WIDE COLOR VARIATION †NOT RECOMMENDED FOR POOLS °MADE TO ORDER

SPECIFICATIONS

Traditional Bullnose

9" Bullnose (3-1/2 x 2-3/16 x 9")

384 pcs
per pallet





SINGLE
Unit Weight: 4.8 lbs. Cored
Pallet Weight: 1,888 lbs. Cored
Coverage: 3.0 Units per lineal foot
(using 1/2" grout line)

DOUBLE
Unit Weight: 4.8 lbs. Cored
Pallet Weight: 1,888 lbs. Cored
Coverage: 3.0 Units per lineal foot
(using 1/2" grout line)

12" Bullnose (3-1/2 x 2-3/16 x 11-1/2")

288 pcs
per pallet



SINGLE
Unit Weight: 6.0 lbs. Cored
Pallet Weight: 1,773 lbs. Cored
Coverage: 3.0 Units per lineal foot
(using 1/2" grout line)


DOUBLE
Unit Weight: 6.0 lbs. Cored
Pallet Weight: 1,773 lbs. Cored
Coverage: 3.0 Units per lineal foot
(using 1/2" grout line)

Specialty Bullnose

Safety Grip Bullnose (3-5/8 x 1-1/4 x 12-1/2")

320 pcs
per pallet


Unit Weight: 5.0 lbs. Solid
Pallet Weight: 1,620 lbs.
Units Per Pallet: 320 pcs.
Coverage: 3.0 Units per lineal foot (using 3/8" grout line)
Meets ASTM C-902



Retrofit Bullnose (3-5/8 x 1-1/4 x 12-1/2")

400 pcs
per pallet


Unit Weight: 5.0 lbs. Solid
Pallet Weight: 1,860 lbs.
Units Per Pallet: 400 pcs.
Coverage: 3.0 Units per lineal foot (using 3/8" grout line)
Meets ASTM C-902



Profinish Bullnose (3-1/2 x 2-3/16 x 11-1/2")

6 pcs
per box

Unit Weight: 6.0 lbs. Solid
Box Weight: 36 lbs.
Units Per Box: 6 pcs.
Meets ASTM C-902




Texas Bullnose

150 pcs
per pallet

(9 inch) 7 x 2-3/16 x 9"

(12 inch) 7 x 2-3/16 x 11-1/2"

Unit Weight: (9 inch) 8.4 lbs. / (12 inch) 10.6 lbs.
Pallet Weight: (9 inch) 1330 lbs. / (12 inch) 1780 lbs.
Units Per Pallet: (9 inch) 150 pcs. / (12 inch) 150 pcs.
Coverage: 1.6 Units per lineal foot (using 1/2" grout line)
Meets ASTM C-902




Plano and Capella Wallcaps

150/120 pcs
per pallet

(8 inch) 8 x 2 x 10-5/8"

(10 inch) 10 x 2 x 10-5/8"

Unit Weight: (8 inch) 8.5 lbs. / (10 inch) 11 lbs.
Pallet Weight: (8 inch) 1377 lbs. / (10 inch) 1327 lbs.
Units Per Pallet: (8 inch) 150 pcs. / (10 inch) 120 pcs.
Coverage: 1.1 Units per lineal foot (using 1/2" grout line)
Meets ASTM C-902



Standard colors available for all products listed below (except Retrofit Bullnose, ProFinish and Capella Wallcaps): Sunset Red, Red Flashed, Rose Tan, Sterling Grey, Brown Flashed, Salttillo, Burgundy, Pueblo Flashed, Light Iron Spot, Medium Iron Spot, Dark Iron Spot, Manufactured Used and Manufactured Used White Only. *Manufactured Used and Manufactured Used White Only are not recommended to be used around pools.

All Bullnose meet or exceed the requirements of ASTM C-902 and are Die Skin in texture.

Custom Colors and Sizes available (minimum order quantities apply). Call Pacific Clay for literature on our full family of products such as Pavers, Face Brick, and Thin Brick lines. Bricks in this brochure were photographed and printed to match the original brick as closely as possible; however, production runs vary slightly in color. Color ranges occur in each production run.

Pacific Clay's colors are produced from natural clays - color ranges are inherent in the product and should be sampled accordingly. Weights listed are averages; individual bricks may vary in dimension and weight while maintaining accordance with ASTM specifications.

Pacific Clay Products maintains the right to revise packaging and products inventoried.



Right, In Your Own Backyard!

www.PacificClay.com

14741 LAKE STREET LAKE ELSINORE, CA 92530
PHONE: 951.674.2131 FAX: 951.674.6383

Share your #PacificClay projects! @PacificClay

